

EC Declaration of Performance



Calcium Silicate Boards (CS)

Skamol A/S Østergade 58-60 DK-7900 Nykøbing Mors Denmark Tel: +45 9772 1533 Fax:+45 9772 4975

www.skamol.com

Supplier	Place of production	Notified body
Skamol A/S	Skamol A/S	Dansk Brand- og sikringsteknisk Institut (DBI)
Østergade 58-60	Calciumsilicate plant	Jernholmen 12
DK-7900 Nykøbing Mors	DK-7870 Roslev	DK-2650 Hvidovre

Product application

Thermal insulation of products for building equipment and industrial installations.

Type of Calcium Silicate board, which is in conformity with the declared performance.

Product type	Density kg/m ³
Skamotec 225	225
Skamotec 250	250
Skamotec 300	300
Skamotec-C	290
Superpro 225	225
Superpro 250	250
Superpro 300	300

Certificates of conformity

EC Certificate of conformity No: 0845-CPD-CXO10001

Regulations of CE-marking according to EN14306:2009+A1:2013, Annex ZA, Fire Class A1, system 1

Noitified body: DBI 0845, Third party tasks performed according to appendix V part B under system 1

Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	Class A1	EN14306:2009+A1:2013

This declaration of performance is issued under the sole responsibility of the supplier Skamol A/S by

Susanna Knudsen, Quality Manager Skamol A/S